AB Life

AB LIFE GLOBAL

THE PROFESSIONAL COLLECTION

Precision Aesthetic Devices



Cannulas • Micro Needles • Thread Systems

ODM AVAILABLE

Flexible product configuration, branding and packaging

PRODUCT REFERENCES SHOWN | SOURCE: MYTHCO

01 / OVERVIEW

A focused device portfolio

A single point of contact for precision accessories, thread platforms and ODM enquiries.

01

CANNULAS

Gauge, length and outer-diameter selection



02

MICRO NEEDLES

Fine-gauge 4 mm reference configurations



03

9-PIN MULTI NEEDLE

Screw-type multi-needle accessory



04

THREAD SYSTEMS

Molding cog and specialty thread platforms



ODM SUPPORT / SPECIFICATION REVIEW / PROFESSIONAL DOCUMENTATION

02 / PRECISION ACCESS

Blunt-tip cannulas

Reference dimensions from the manufacturer-supplied ES Cannula range.



8 reference configurations

18G to 30G

Source-listed length range
25–70 mm

SIZE REFERENCE / MANUFACTURER SOURCE

Gauge	Length	Diameter
18G	70 mm	1.2 mm
21G	50 mm	0.8 mm
22G	50 mm	0.7 mm
23G	50 mm	0.6 mm
23G	70 mm	0.6 mm
25G	50 mm	0.5 mm
27G	40 mm	0.4 mm
30G	25 mm	0.3 mm

These are reference specifications, not clinical instructions. Confirm the latest IFU and market approvals.

03 / MICRO DELIVERY

Small instruments. Precise options.

Compact accessories for professional aesthetic device portfolios.

MICRO NEEDLE / 4 MM





Supplier-listed: 32G × 4 mm | 34G × 4 mm

9-PIN SCREW MULTI NEEDLE







32G	9 pins	0–1.5 mm*

* Source designation. Exact dimensional definition and packaging depend on the selected version.

04 / THREAD SYSTEMS

Facial thread references


Supplier catalogue categories shown for technical selection; not treatment guidance.

NOSE / FIGO C & DOUBLE X



FIGO C


19G × 38 mm / 40 mm / USP 2
19G × 60 mm / 80 mm / USP 2



FIGO Double X

Same two source-listed configurations

INFRAORBITAL / FIGO M & DOUBLE X



FIGO M

30G × 38 mm / 50 mm thread / USP 7-0

FIGO Double X


19G × 60 mm / 210 mm thread / USP 2

05 / THREAD SYSTEMS

Molding & contour reference

Illustrative source models in PDO/PCL families; confirm polymer and model before ordering.

YOUTH SERIES / MOLDING PROFILES




YOUTH 40 — 420 mm source thread length

YOUTH 20 — molding reference platform

BROW & FOREHEAD / FIGO XZ + FIGO X





FIGO XZ

21G × 80 / 290 mm / USP 2-0
23G × 60 / 190 mm / USP 3-0

FIGO X

21G × 80 / 150 mm
USP 2-0

06 / THREAD SYSTEMS

Specialized reference formats


Selected products from the manufacturer-supplied technical catalogue.

DOUBLE CHIN / FIGO X




Double-needle: 19G × 110 / 420 mm / USP 2
Single: 18G × 100 / 170 mm / USP 3

SCALP / FIGO M



30G × 25 mm needle / 30 mm thread / USP 7-0

NASOLABIAL / FIGO BOMB



21G × 38 / 50 mm; 21G × 60 / 70 mm
USP source notation: 5-0 × 9

Exact indications, needle compatibility and clinical instructions must follow the approved IFU.

07 / PARTNERSHIP

ODM available

Custom configuration and branding support for professional device portfolios.

FROM PRODUCT CONCEPT TO MARKET-READY PRESENTATION

01 SELECT

Reference models and desired specifications

02 CUSTOMIZE

Configurations, labels and packaging

03 DOCUMENT

Technical files and applicable credentials

04 REVIEW

Sampling, approval and order conditions

MANUFACTURER-SUPPLIED CERTIFICATION MARKS

CE | ISO 13485 | GMP

As displayed in the 2024 MYTHCO source portfolio.

CE applicability: confirm device/ model. ISO 13485: manufacturer QMS; GMP: manufacturing quality controls.
Current certificates, scope and logo-use authorisation must be verified before public distribution.

PARTNERSHIP ENQUIRIES
www.ablife-global.com • alexmoon@ablife-global.com